

From: "Eron Dodak" <edodak@integral-corp.com>

To: "Novak, Madi" <Novak.Elisabeth@epa.gov>

CC: "Michael PINTO" <michael.pinto@totalenergies.com>  
petersonle@cdm.com

Date: 5/4/2022 10:03:34 AM

Subject: Arkema Project Area - Reoccupy SC-36 to Collect Chlorobenzene Samples

Attachments: [SC-36 Screenshot.PNG](#)

---

Hi Madi,

We received chlorobenzene data for SC-37 and SC-42 and there were some remediation threshold exceedances. The core for SC-36 was collected last year and the samples were not analyzed for chlorobenzene. Chlorobenzene testing at SC-36 is warranted based on the remediation threshold exceedances at SC-37 and SC-42 (see attached screenshot).

LSS would like to reoccupy SC-36 to collect samples for chlorobenzene analysis. I don't believe this is a deviation from the work plan, so an FCR form is probably not necessary.

Please let us know if it is ok to reoccupy SC-36 and if an FCR form is needed. Thanks!

**ERON DODAK** | Senior Science Advisor

Tel: 503.943.3614 | Cell: (b) (6)

319 SW Washington Street, Suite 1150 | Portland | OR 97204

edodak@integral-corp.com | [www.integral-corp.com](http://www.integral-corp.com)

